

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	johnson-neil.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:04
S2	6804	(first\$1in\$1first\$1out or fifo).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:47
S3	0	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:06
S4	512	S2 and (read near2 enable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:07
S5	84	S4 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:07
S6	422	S4 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:23
S7	63	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:20
S8	35	(read near2 enable) with ((tie near2 assert\$3) or ((tied or connected) near2 (ground or power)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:23

EAST Search History

S9	26	S8 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:31
S10	7	S9 and fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:23
S11	19	S9 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:30
S12	2	tie near2 assert\$3 near3 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 12:31
S13	9	tie adj assert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 12:31
S14	6	S13 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:35
S15	0	(address near2 enable) near2 (connected or tied) near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:35
S16	636	(address near2 enable) near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 12:40

0

EAST Search History

S17	496	S16 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:48
S18	96	S17 and fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:36
S19	3	S18 and ((address near2 enable). near3 (ground or power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 12:37
S20	1	(address near2 enable) near3 (always or perminant\$3) near5 (low or high)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 12:46
S21	5	(first\$1in\$1first\$1out or fifo) near2 (output or data) near5 always near5 available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 12:48
S22	5	S21 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:15
S23	569	710/310.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:37
S24	259	S23 and fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:14

EAST Search History

S25	38	S24 and (address near2 enabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:14
S26	34	S25 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:34
S28	9	keep\$3 with (address near2 enabl\$3) with (high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:34
S29	6	S28 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:37
S30	429	enabl\$3 near5 (fifo near2 out\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:36
S31	392	S30 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:43
S32	79	S31 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:40
S34	139	(contin\$5 near5 (read\$3 near2 fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:43

EAST Search History

S35	120	S34 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:48
S36	1097	input near2 tied near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:46
S37	0	(input adj address adj enable) near2 tied near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:47
S38	0	(address adj enable) near2 tied near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:47
S39	0	(address near2 enable) near2 tied near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:47
S40	67	(enable) near2 tied near3 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:48
S41	55	S40 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:53
S42	4	S41 and fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:52

EAST Search History

S43	11	fifo near5 enable near5 (tie\$3 or connect\$3) near5 (ground or power or high or low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:53
S44	11	S43 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 13:53